



LINDSTROM

LINDSTROM[®]
PRECISION TOOLS

Preset
Torque
Screwdriver



ML-9008-UK, ReklamCenter 01153, Printed in Sweden by Graphium Västra Aros 01.06

Precision Preset Torque Screwdriver

LINDSTROM introduces a series of Preset Torque Screwdrivers offered in four models that cover a torque range of 4 to 450 Ncm, or 6 in. ozs. to 40 in. lbs. with an accuracy of +/- 6%. All models feature:



<i>PRODUCT CODE</i>	<i>TORQUE RANGES</i>
<i>PS501-1</i>	<i>4-22 Ncm, 6-32 in. ozs.</i>
<i>PS501-2</i>	<i>7-70 Ncm, 10-100 in. ozs.</i>
<i>PS501-3</i>	<i>15-170 Ncm, 1,5-15 in. lbs.</i>
<i>PS501-4</i>	<i>45-450 Ncm, 4-40 in. lbs.</i>

- Excellent when repeatability is crucial. Set preferred value using Hex key provided
- Stainless steel 1/4" Hex driver allows use of all standard drive bits (Phillips, Torx, etc.)
- Non-magnetic spring-loaded bit holder to avoid damaging sensitive equipment or components in electronic environment
- Comfortable shape and non-slip grip
- Cam-over torque limiting clutch for repeatability and accuracy
- Light in weight yet rugged in construction for years of use
- Permanently lubricated internal mechanism
- Fine adjustment for precise torque delivery
- Easy to clean by just wiping
- Certified to meet the accuracy in specifications: ASME B107.14 M-1994 and ISO 6789, EN 26789/1994
- Calibrated on a torque standard traceable to the National Institute of Standards Technology (NIST)